



Model: 4U-K-439L

Art.: 88887333

The 4U-K-439L is a perfect case for a cost-efficient Mini Server System. Using high-level material combined with excellent workmanship we created a variable and reliable industrial case.

So the 4U-K-439L supports ATX and PS/2 redundant power supplies, up to three 3,5" internal devices, one external 5,25" device and mainboards up to E-ATX size.

Furthermore the case has two 80mm fans and two USB 3.2 Gen1 front ports.

Features		Mainboards up to E-ATX 2x 80mm fans in the front Internal HDD cages removable 7 perforated slot brackets Aluminium Front
Size	Mainboard	Mini-ITX, Micro-ATX, ATX, E-ATX (max. 305 x 330mm, 12" x 13")
	Case	482 x 425 x 178mm (wxdxh)
HDD/ ODD Mounting space	5,25" external	1
	3,5" external	-
	3,5" or 2,5" external	-
	3,5" internal	2
	2,5" internal	-
	3,5" or 2,5" internal	1
Front connectors	USB A 3.0	2x 3.2 Gen1
	USB A 2.0	-
	USB Type C	-
	Heaphone	-
	Microphone	-
	Card Reader	-
Mounted fans	200mm	-
	140mm	-
	120mm	-
	80mm	2 (Front, Molex connectors)
	60mm	-
Further mounting options	Power supply	ATX, PS/2 redundant
	CPU cooler	max. 150mm
	Graphic adapter	max. 330mm
	Fans	2x 80mm (rear)

Scope of delivery	Case 4 stands Screws
--------------------------	----------------------------

Warranty	24 Months
-----------------	-----------

Logistic data	Net weight	8,815 kgs
	Gross weight	7,160 kgs
	Article number	88887333
	GTIN	4260455646406
	Packing unit	1 pcs 18 pcs (pallet)