



Model: 4U-4708

Art.: 88887384

The **IPC 4U-4708** is a service-friendly storage case with eight 8 Hot-Swap frames.

Four 80 mm fans in the front of the case be can easily replaced by open the front flap. The fans are supplied with power centrally via a Molex connection. In addition, two 80 mm fans are installed in the rear panel, which together ensure a perfect air flow.

The build in 12G backplane has two SFF 8643 connectors.

Features		Six 80 mm fans serial 8 Hot-Swap frames
Backplane	Quantity Backplanes	1
	Quantity hard disks	8
	Transfer speed	12Gb/s
	Connection HDD	8x SATA
	Connection Controller	2x SFF 8643
	Electrical connection	2x Molex
Size	Mainboard	ITX, Micro-ATX, ATX, E-ATX, SSI CEB, SSI EEB max. 330 x 305 mm
	Case	481 x 515 x 175 mm (WxDxH)
HDD/ ODD Mounting space	5,25" external	-
	3,5" external	-
	3,5" or 2,5" external	8 (Hot-Swap frames)
	3,5" internal	-
	2,5" internal	1 (screwless)
	3,5" od. 2,5" internal	-
Front connectors	USB A 3.0	-
	USB A 2.0	2
	USB Type C	-
	Headphone	-
	Microphone	-
	Card Reader	-
Mounted fans	200mm	-
	140mm	-
	120mm	-

80mm	6
60mm	-

Further mounting options

Power supply	ATX or Mini-Redundant PS/2
PCIe	7 (Full profile)
CPU cooler	max. 150mm
Graphic adapter	max. 265mm
Fans	-
External	-

Scope of delivery

Case
Mounting bracket for ATX power supply (mounted)
Mounting bracket for PS/2 power supply
Screws

Warranty

24 Months

Logistic data

Net weight	10.215 kgs
Gross weight	12.290 kgs
Article number	88887384
GTIN	4260455648356
Packing unit	1 pcs 15 pcs (pallet)